

## Minimum Requirements to start MASLP Programe

Application for the academic year :

Name of College :

Name of Principal :

Phone No :

E-mail ID :

Name of the proposed course :

Type of Application : Continuation of affiliation/ New course

No. of Seats applied for :

Date of Inspection :

University order No& Date :

Date of Last KUHS Affiliation Inspection  
(if any) :

Name and Address of Inspectors

- 1.

- 2.

## DETAILS OF THE COLLEGE:

1. Name of the college with full postal address:

(With telephone no, Email &Fax)

2. Administrative status of the institution:

(Society, trust, institution or any other)

3. Name of the principal :

Address :

Phone No :

Email ID :

4. Web site address of the college :

5. Year of Establishment :

6. Location of the college

Road distance from railway station:

Road distance from bus station:

7. Name of the authority or public body that

a. Finance to the institute :

b. Manages the funds for the course:

8. RCI Recognition letter No. &Date :

9. State Government NOC No &date :

10. Details of the course conducted in the college:

SNo	Name of the course	Duration of the course	No of seats sanctioned/a pplied for	Year of starting the course	University order No with date

\* The institute will be eligible to apply for starting MASLP Course after the first batch of BASLP Passes out, i.e. After 4 years of starting BASLP course subject to recommendation of Inspection Team/Visiting Expert

## 1. PHYSICAL INFRASTRUCTURE:

Sl.No.	Requirements	Size (sq.ft.)	Available
a)	Class rooms	Size should be adequate to accommodate half the no. of total batches/course	
b)	Room for reception where patients are registered		
c)	Room for case history, Speech Diagnostic Room and Interviews	(6x6)	
d)	Speech Lab (Quiet Room) for diagnostic purposes	(15x20)	
e)	Recording room (Sound proof)	(10x10)	
f)	Speech Therapy Rooms/Cabins	(6x6) To accommodate 50% of the students	
g)	Single sound treated room - Two Room Audiometric suite with control and test room situation (Sound Proof - ANSI 1977)	(10x18)	

	Requirements	Size (sq.ft.)	Available
h)	Room for hearing aid trial combination purpose	(10x15)	
i)	Ear mould Lab	(15x20)	
j)	Staff Room	As per staff strength (min size 15x20)	
k)	Individual work space (with provision for storage facilities)	(10x10)	
l)	Hearing aid repair lab	(10x10)	
m)	Principal's Office room	(12x16)	
n)	Sanitary facilities	As per requirement separate facilities for students and staffs	
o)	Hostels for Men and Women to accommodate at least 50% of the student population		
p)	Administrative staff room		

## 2. FACULTY

FACULTY				
	Faculty/Personnel	Minimum requirement		
		Qualification and Experience		Available
	Full time	Essential	Desirable	
	Principal	Senior most professor		
	Head Of The Department	Senior most faculty in Audiology and Speech Language Pathology		
	Professor	MASLP/Msc Speech &Hearing/Msc Speech Pathology/MSc Audiology with 10 years full time teaching experience	PhD in concerned subjects	
	Associate Professor	MASLP/Msc Speech &Hearing/Msc Speech Pathology/MSc Audiology with 5 years full time teaching experience		
	Assistant Professor	MASLP/Msc Speech &Hearing/Msc Speech Pathology/MSc Audiology with 2 years experience		
	Audiologist and Speech Language Pathologist Clinical Supervisor - Grade I	MASLP/Msc Speech &Hearing/Msc Speech Pathology/MSc Audiology		
	Audiologist and Speech Language Pathologist Clinical Supervisor - Grade II	BASLP/Bsc Speech &Hearing		

	Lecturer in Linguistics - part time	Post Graduation in Linguistics		
	Lecturer in Statistics - part time	Msc Statistics		
	Ear mould Technician	Diploma in hearing aid and earmould technology		
	Librarian/Staff	B Lib/M Lib		

Details of teaching staff should be attached in the format given

### 3. INSTRUMENTS

#### Audiology

Sl.No.	Requirement	Available and specify number
a)	2 channel Diagnostic Audiometer with Accessories such as earphone, ear cushion combination with adjustable headband, BC vibrator, transducers like microphone and matching loud speakers	
b)	Portable Audiometer with provision of A.C. and B.C. testing ; desirable screening audiometer	
c)	Clinical Immittance Audiometer (Desk model) with accessories	
d)	Portable/Screening impedance	
e)	Clinical BSERA	
f)	Otoacoustic emission	
g)	Calibration equipment for AC,BC and free field (by possession or access)	

h)	Different types of Hearing Aids of mild moderate and strong categories body level and ear level, canal and spectacle hearing aid (1 each), FM, Digital, Programmable aids, Assistive listening devices	
i)	IGO HAT for hearing aid trial and making electroacoustic measurements	
j)	Oto scope	
k)	Proformae	
l)	Auditory training and screening material	
m)	Ear mould Lab-fully equipped (UV Lab)	

### Speech Pathology

Speech Pathology		
	Requirements	Available and specify number
a)	Speech and Language Tests (Tests for differential diagnosis) (English and local language)	
b)	Proformae	
c)	Speech Therapy material (Indian, Language and English)	
d)	Toys and Books	




