Time: 3 Hrs  Child Health Nursing  Answer all questions Draw diagram wherever necessary  Essays  (2×15=30)  Define bronchial asthma. Explain the pathophysiology. Enumerate the clinical manifestations. Describe the nursing management of a child with bronchial asthma. (2+4+3+6=15)  Define infancy. Enumerate the growth and development during infancy. Discuss nurses role in the prevention of accidents during infancy (2+6+7=15)  Short Notes  (5x5=25)  Etiology and pathophysiology of rheumatic fever  Wilm's tumor  Low birth weight baby Rights of children Management of Hirschsprungs disease  Giverasons for the following  Pulse rate should be monitored before administering digoxin.  Chocking in newborns with trachea-oesophageal fistula  Children should not be physically restrained during convulsions.  Careful feeding is needed in an infant with cleft lip and palate  Differentiate between  (5x2=10)  Term and preterm neonate  Hodgkin's and non-Hodgkin's lymphoma  Max. Marks: 75  Answer all questions  (2×15=30)  (5x5=25)  Answer all questions  (5x5=25)  Discuss nurses role in (2+4+3+6=15)  Discuss nurses role in (5x2=10)	Q.P. CODE: 302010 Reg. No:			
1. Define bronchial asthma. Explain the pathophysiology. Enumerate the clinical manifestations.  Describe the nursing management of a child with bronchial asthma. (2+4+3+6=15)  2. Define infancy. Enumerate the growth and development during infancy. Discuss nurses role in the prevention of accidents during infancy (2+6+7=15)  Short Notes (5x5=25)  3. Etiology and pathophysiology of rheumatic fever  4. Wilm's tumor  5. Low birth weight baby  6. Rights of children  7. Management of Hirschsprungs disease  Give reasons for the following (5x2=10)  8. Babies of diabetic mothers are prone to hypoglycaemia  9. Pulse rate should be monitored before administering digoxin.  10. Chocking in newborns with trachea-oesophageal fistula  11. Children should not be physically restrained during convulsions.  12. Careful feeding is needed in an infant with cleft lip and palate  Differentiate between (5x2=10)  13. Term and preterm neonate  14. Hodgkin's and non-Hodgkin's lymphoma  15. Meningocele and myelomeningocele  16. Phenylketonuria and galactosemia	Time: 3 Hrs  • Answer all questions		Max. Marks: 75	
Describe the nursing management of a child with bronchial asthma. (2+4+3+6=15)  2. Define infancy. Enumerate the growth and development during infancy. Discuss nurses role in the prevention of accidents during infancy (2+6+7=15)  Short Notes (5x5=25)  3. Etiology and pathophysiology of rheumatic fever  4. Wilm's tumor  5. Low birth weight baby  6. Rights of children  7. Management of Hirschsprungs disease  Give reasons for the following (5x2=10)  8. Babies of diabetic mothers are prone to hypoglycaemia  9. Pulse rate should be monitored before administering digoxin.  10. Chocking in newborns with trachea-oesophageal fistula  11. Children should not be physically restrained during convulsions.  12. Careful feeding is needed in an infant with cleft lip and palate  Differentiate between (5x2=10)  13. Term and preterm neonate  14. Hodgkin's and non-Hodgkin's lymphoma  15. Meningocele and myelomeningocele  16. Phenylketonuria and galactosemia	Es	says	(2×15=30)	
in the prevention of accidents during infancy  Short Notes  (5x5=25)  3. Etiology and pathophysiology of rheumatic fever  4. Wilm's tumor  5. Low birth weight baby  6. Rights of children  7. Management of Hirschsprungs disease  Give reasons for the following  8. Babies of diabetic mothers are prone to hypoglycaemia  9. Pulse rate should be monitored before administering digoxin.  10. Chocking in newborns with trachea-oesophageal fistula  11. Children should not be physically restrained during convulsions.  12. Careful feeding is needed in an infant with cleft lip and palate  Differentiate between  (5x2=10)  13. Term and preterm neonate  14. Hodgkin's and non-Hodgkin's lymphoma  15. Meningocele and myelomeningocele  16. Phenylketonuria and galactosemia	1.	, , , , , ,		
3. Etiology and pathophysiology of rheumatic fever 4. Wilm's tumor 5. Low birth weight baby 6. Rights of children 7. Management of Hirschsprungs disease  Give reasons for the following (5x2=10) 8. Babies of diabetic mothers are prone to hypoglycaemia 9. Pulse rate should be monitored before administering digoxin. 10. Chocking in newborns with trachea-oesophageal fistula 11. Children should not be physically restrained during convulsions. 12. Careful feeding is needed in an infant with cleft lip and palate  Differentiate between (5x2=10) 13. Term and preterm neonate 14. Hodgkin's and non-Hodgkin's lymphoma 15. Meningocele and myelomeningocele 16. Phenylketonuria and galactosemia	2.			
4. Wilm's tumor 5. Low birth weight baby 6. Rights of children 7. Management of Hirschsprungs disease  Give reasons for the following (5x2=10) 8. Babies of diabetic mothers are prone to hypoglycaemia 9. Pulse rate should be monitored before administering digoxin. 10. Chocking in newborns with trachea-oesophageal fistula 11. Children should not be physically restrained during convulsions. 12. Careful feeding is needed in an infant with cleft lip and palate  Differentiate between (5x2=10) 13. Term and preterm neonate 14. Hodgkin's and non-Hodgkin's lymphoma 15. Meningocele and myelomeningocele 16. Phenylketonuria and galactosemia	Sh	ort Notes	(5x5=25)	
8. Babies of diabetic mothers are prone to hypoglycaemia 9. Pulse rate should be monitored before administering digoxin. 10. Chocking in newborns with trachea-oesophageal fistula 11. Children should not be physically restrained during convulsions. 12. Careful feeding is needed in an infant with cleft lip and palate  Differentiate between (5x2=10)  13. Term and preterm neonate 14. Hodgkin's and non-Hodgkin's lymphoma 15. Meningocele and myelomeningocele 16. Phenylketonuria and galactosemia	4. 5. 6.	Wilm's tumor Low birth weight baby Rights of children		
<ul> <li>9. Pulse rate should be monitored before administering digoxin.</li> <li>10. Chocking in newborns with trachea-oesophageal fistula</li> <li>11. Children should not be physically restrained during convulsions.</li> <li>12. Careful feeding is needed in an infant with cleft lip and palate</li> <li>Differentiate between (5x2=10)</li> <li>13. Term and preterm neonate</li> <li>14. Hodgkin's and non-Hodgkin's lymphoma</li> <li>15. Meningocele and myelomeningocele</li> <li>16. Phenylketonuria and galactosemia</li> </ul>	Gi	ve reasons for the following	(5x2=10)	
13. Term and preterm neonate  14. Hodgkin's and non-Hodgkin's lymphoma  15. Meningocele and myelomeningocele  16. Phenylketonuria and galactosemia	9. 10 11	Pulse rate should be monitored before administering digoxin.  Chocking in newborns with trachea-oesophageal fistula.  Children should not be physically restrained during convulsions.		
14. Hodgkin's and non-Hodgkin's lymphoma 15. Meningocele and myelomeningocele 16. Phenylketonuria and galactosemia	Di	fferentiate between	(5x2=10)	
******	14 15 16	. Hodgkin's and non-Hodgkin's lymphoma . Meningocele and myelomeningocele . Phenylketonuria and galactosemia . Emphysema and empyema		