

**First Professional BUMS Degree Regular/Supplementary Examinations
March 2026**

**Tashreeh UI-Badan - Paper II
(2022 Scheme)**

Time: 3 hrs

Max Marks: 100

- Answer all questions to the point neatly and legibly • Do not leave any blank pages between answers • Indicate the question number correctly for the answer in the margin space
- Answer all parts of a single question together • Leave sufficient space between answers
- Draw table/diagrams/flow charts wherever necessary

1. Multiple Choice Questions (20x1=20)

The responses for MCQ questions (Q.No. i to Q.No. xx) shall be written continuously on the first two writing sheets (ie Page No. 3 & 4) only

- i. Length of Mickel's Diverticulum.

a) 5 cm	b) 10 cm	c) 2.5 cm	d) 12 cm
---------	----------	-----------	----------
- ii. Caecum is located in

a) Left Iliac fossa	b) Right Iliac fossa
c) Umbilicus	d) Right Lumber region
- iii. Pelvic Floor is formed by

a) Piriformis	b) Coccygeus
c) Levator Ani	d) b & c both
- iv. Ileocolic artery is a branch of

a) Inferior Mesentric artery	b) Superior Mesentric artery
c) Coeliac trunk	d) Common Iliac artery
- v. Which of the following condition is characterized by the presence of protein in urine

a) Nephritic syndrome	b) Nephrotic syndrome
c) Urinary tract Infection	d) Kidney stone
- vi. Compression of leads to Sleeping Foot

a) Tibial Nerve	b) Femoral Nerve
c) Peroneal Nerve	d) Sciatic Nerve
- vii. Poupart Ligament is also Known as

a) Cruciate Ligament	b) Inguinal Ligament
c) Deltoid Ligament	d) Spring Ligament
- viii. All of the following ligaments contributes to the stability of Ankle joint **EXCEPT**

a) Calcaneonavicular ligament	b) Deltoid ligament
c) Posterior Tibio fibular ligament	d) Lateral ligament
- ix. Length of Oesophagus

a) 20 cm	b) 25 cm	c) 18 cm	d) 15 cm
----------	----------	----------	----------
- x. Cardiac orifice is present at the level of

a) T12 vertebra	b) T10 vertebra	c) T11 vertebra	d) L1 vertebra
-----------------	-----------------	-----------------	----------------
- xi. Which of the following bone is devoid of muscular attachment

a) Talus	b) Calcaneum	c) Patella	d) Navicular
----------	--------------	------------	--------------
- xii. Duodenojejunal flexure is suspended and supported by

a) Falciform Ligament	b) Round Ligament
c) Ligament of Treitz	d) Greater Omentum

- Short Answer Questions** **(8x5=40)**

- Long Answer Questions** (4x10=40)

- *****

CORRECTION / NO-CORRECTION FILE
--

QPCODE: 125007

Dated: 06-04-2026

Question No.1(v)

Replaced with " What is the weight of Kidney?

a) 150 gm b) 250gm c) 200gm d) 100gm."

Corrections/Modifications/Replacement of Questions if any shall be made available to all students. Take the print out of the Correction File in such cases and distribute to all students.

(Sd/-)

CONTROLLER OF EXAMINATIONS